



# NOTICE OF REVIEW

## APDES Preliminary Draft Permit

Alaska Department of Environmental Conservation (DEC)  
Wastewater Discharge Authorization Program  
555 Cordova Street  
Anchorage, Alaska 99501

### NOTICE OF REVIEW OF AN ALASKA POLLUTANT DISCHARGE ELIMINATION SYSTEM (APDES) **PRELIMINARY DRAFT PERMIT** TO DISCHARGE TO WATERS OF THE UNITED STATES

ADEC has prepared an APDES preliminary draft permit for Joint Base Elmendorf-Richardson. The Preliminary Draft Permit and associated documents are available to the applicant for a 10-day review. Following the close of the 10-day applicant review period, DEC will prepare a draft permit and fact sheet for a formal 30-day public review period. Public comments will be accepted during the formal 30-day review period. You can access the documents on DEC's Wastewater Discharge Authorization Program webpage at: [dec.alaska.gov/water/wastewater/](http://dec.alaska.gov/water/wastewater/).

**ADEC Contact** William Ashton  
Alaska Department of Environmental Conservation  
Wastewater Discharge Authorization Program  
555 Cordova St.  
Anchorage, AK 99501  
907-269-6283  
[William.Ashton@alaska.gov](mailto:William.Ashton@alaska.gov)

#### **Preliminary Draft Permit Review:**

**Start Date:** March 21, 2019  
**End Date:** April 5, 2019

**Permit No.:** AKS053651

**Applicant:** Joint Base Elmendorf-Richardson (JBER)  
673 ABW/CC  
10471 20<sup>th</sup> Street, Suite 139  
JBER, AK 99506-2200

#### **Proposed Project and Location:**

JBER operates a Municipal Separate Storm Sewer System (MS4). The storm water from the facility is proposed to be discharged to Knik Arm at the Port of Anchorage and into Ship Creek adjacent to the base.

**Administrative Record:**

The APDES preliminary draft permit, fact sheet, and associated documents are available for public review at the ADEC offices located in Anchorage. Please contact the Anchorage office (555 Cordova Street, **Anchorage**, AK 99501; 907-269-6285) to arrange for hard copies of the documents to be available for your review.

If you would like to see any additional supporting technical documents, contact [William Ashton](#). The documents are also accessible from the DEC website at: [dec.alaska.gov/water/wastewater/](http://dec.alaska.gov/water/wastewater/).

**Disability Reasonable Accommodation Notice**

The State of Alaska, Department of Environmental Conservation complies with Title II of the Americans with Disabilities Act of 1990. If you are a person with a disability who may need a special accommodation in order to participate in this review, please contact Theresa Zimmerman at (907) 465-6171 or TDD Relay Service 1-800-770-8973/TTY or dial 711 within 10 days of publication of this notice to ensure that any necessary accommodations can be provided.